





SUPPLEMENTARY NOTES

1. STEEL SHEET ADHERED TO CHIPBOARD PANEL
2. PVC EDGE STRIP, FOUR PIECES PER PANEL
3. 28MM CALCIUM SULPHATE BOARD
4. HOT GALVANIZED STEEL SHEET

PERFORMANCE SELECTION CHART

PANEL TYPE	DYNAMIC LOAD (KN)	CONCENTRATED LOAD (KN)	UNIFORM LOAD (KN/M ²)	FIRE-PROTECTION (DIN 4102)
CS1000B	4.5	4.5	20	B1

VERSION	V 2.0	LINFLOOR FLOORS, INC www.linfloor.net STEEL FINISHED CS PANEL	PAGE
DATE			1
DRAWN	ZHONGJIE PAN		
APPROVED	YINGLIN PAN		





SUPPLEMENTARY NOTES

1. HPL ADHERED TO CHIPBOARD PANEL
2. PVC EDGE STRIP, FOUR PIECES PER PANEL
3. 28MM CALCIUM SULPHATE BOARD
4. HOT GALVANIZED STEEL SHEET

PERFORMANCE SELECTION CHART

PANEL TYPE	DYNAMIC LOAD (KN)	CONCENTRATED LOAD (KN)	UNIFORM LOAD (KN/M ²)	FIRE-PROTECTION (DIN 4102)
CS1000H	4.5	4.5	20	B1

VERSION	V 2.0	LINFLOOR FLOORS, INC www.linfloor.net HPL FINISHED CS PANEL	PAGE
DATE			
DRAWN	ZHONGJIE PAN		
APPROVED	YINGLIN PAN		





SUPPLEMENTARY NOTES

1. VINYL ADHERED TO CHIPBOARD PANEL
2. PVC EDGE STRIP, FOUR PIECES
PER PANEL
3. 28MM CALCIUM SULPHATE BOARD
4. HOT GALVANIZED STEEL SHEET

PERFORMANCE SELECTION CHART

PANEL TYPE	DYNAMIC LOAD (KN)	CONCENTRATED LOAD (KN)	UNIFORM LOAD (KN/M ²)	FIRE-PROTECTION (DIN 4102)
CS1000V	4.5	4.5	20	B1



VERSION	V 2.0	LINFLOOR FLOORS, INC www.linfloor.net VINYL FINISHED CS PANEL	PAGE
DATE			3
DRAWN	ZHONGJIE PAN		
APPROVED	YINGLIN PAN		



SUPPLEMENTARY NOTES

1. HPL TILE ADHERED TO STEEL PANEL
2. INNER AND OUTER STEEL SURFACES PHOSPAHTE TREATED PRIOR TO POWDER COATING
3. REINFORCED BAR
4. PVC TRIM EDGE
5. PRODUCT MODEL:CA1000H


VERSION	V 2.0	LINFLOOR FLOORS, INC www.linfloor.net HPL FINISHED PERFORATED CS PANEL WITH 45% AIR RATE	PAGE
DATE			
DRAWN	ZHONGJIE PAN		
APPROVED	YINGLIN PAN		



SUPPLEMENTARY NOTES

1. VINYL TILE ADHERED TO STEEL PANEL
2. INNER AND OUTER STEEL SURFACES PHOSPAHTE TREATED PRIOR TO POWDER COATING
3. REINFORCED BAR
4. PVC TRIM EDGE
5. PRODUCT MODEL:CA1000V


VERSION	V 2.0	LINFLOOR FLOORS, INC www.linfloor.net VINYL FINISHED PERFORATED CS PANEL WITH 45% AIR RATE	PAGE
DATE			5
DRAWN	ZHONGJIE PAN		
APPROVED	YINGLIN PAN		



SUPPLEMENTARY NOTES

1. PRODUCT MODEL: CS-PST-LPXXX
2. APPLICABLE: FFH 80-110MM,
VERTICAL LOAD 18KN AT CENTER
3. ADJUSTABLE RANGE: $\pm 5 - \pm 12\text{MM}$
4. HOT GALVANIZED AND ALKALINE BLUE


VERSION	V 2.0	LINFLOOR FLOORS, INC www.linfloor.net LOW-PROFILE CS PEDESTAL	PAGE
DATE			
DRAWN	ZHONGJIE PAN		
APPROVED	YINGLIN PAN		





SUPPLEMENTARY NOTES

1. PRODUCT MODEL: CS-PST-NPXXX
2. APPLICABLE: FFH 120-600MM,
VERTICAL LOAD 18KN AT CENTER
3. ADJUSTABLE RANGE: $\pm 10 - \pm 25\text{MM}$
4. HOT GALVANIZED AND ALKALINE BLUE



VERSION	V 2.0	LINFLOOR FLOORS, INC www.linfloor.net STANDARD CS PEDESTAL	PAGE
DATE			7
DRAWN	ZHONGJIE PAN		
APPROVED	YINGLIN PAN		




VERSION	V 2.0	LINFLOOR FLOORS, INC www.linfloor.net HEAVY-DUTY CS PEDESTAL	PAGE
DATE			
DRAWN	ZHONGJIE PAN		
APPROVED	YINGLIN PAN		



VERSION	V 2.0	LINFLOOR FLOORS, INC www.linfloor.net SUPER-HEAVY-DUTY CS PEDESTAL	PAGE
DATE			
DRAWN	ZHONGJIE PAN		
APPROVED	YINGLIN PAN		




SECTION VIEW




SUPPLEMENTARY NOTES

1. PRODUCT MODEL: CS-STR
2. TWO FASTENERS PER STRINGER


VERSION	V 2.0	LINFLOOR FLOORS, INC www.linfloor.net STRINGER FOR CS SYSTEM	PAGE
DATE			
DRAWN	ZHONGJIE PAN		
APPROVED	YINGLIN PAN		



① NORMAL



② PERIMETER



③ CORNER




SUPPLEMENTARY NOTES

- 1. CS PANEL
- 2. PEDESTAL
- 3. WALL

① ② ③

CS SYSTEM RAISED FLOOR INSTALLATION
WITHOUT STRINGER

VERSION	V 3.0	LINFLOOR FLOORS, INC www.linfloor.net INSTALLATION ILLUSTRATION I	PAGE
DATE			11
DRAWN	ZHONGJIE PAN		
APPROVED	YINGLIN PAN		




SUPPLEMENTARY NOTES

- 1. CS PANEL
- 2. PEDESTAL
- 3. STRINGER
- 4. WALL

① ② ③ CS SYSTEM RAISED FLOOR INSTALLATION
WITH STRINGER

VERSION	V 2.0	LINFLOOR FLOORS, INC www.linfloor.net INSTALLATION ILLUSTRATION II	PAGE
DATE			12
DRAWN	ZHONGJIE PAN		
APPROVED	YINGLIN PAN		




SUPPLEMENTARY NOTES

1. STEEL SHEET ADHERED TO CHIPBOARD PANEL
2. PVC EDGE STRIP, FOUR PIECES PER PANEL
3. 28MM CALCIUM SULPHATE BOARD
4. HOT GALVANIZED STEEL SHEET

PERFORMANCE SELECTION CHART

PANEL TYPE	DYNAMIC LOAD (KN)	CONCENTRATED LOAD (KN)	UNIFORM LOAD (KN/M ²)	FIRE-PROTECTION (DIN 4102)
CS1000B	4.5	4.5	20	B1

VERSION	V 2.0	LINFLOOR FLOORS, INC www.linfloor.net STEEL FINISHED CS PANEL	PAGE
DATE			1
DRAWN	ZHONGJIE PAN		
APPROVED	YINGLIN PAN		





SUPPLEMENTARY NOTES

1. HPL ADHERED TO CHIPBOARD PANEL
2. PVC EDGE STRIP, FOUR PIECES
PER PANEL
3. 28MM CALCIUM SULPHATE BOARD
4. HOT GALVANIZED STEEL SHEET

PERFORMANCE SELECTION CHART

PANEL TYPE	DYNAMIC LOAD (KN)	CONCENTRATED LOAD (KN)	UNIFORM LOAD (KN/M ²)	FIRE-PROTECTION (DIN 4102)
CS1000H	4.5	4.5	20	B1

VERSION	V 2.0	LINFLOOR FLOORS, INC www.linfloor.net HPL FINISHED CS PANEL	PAGE
DATE			
DRAWN	ZHONGJIE PAN		
APPROVED	YINGLIN PAN		





SUPPLEMENTARY NOTES

1. VINYL ADHERED TO CHIPBOARD PANEL
2. PVC EDGE STRIP, FOUR PIECES
PER PANEL
3. 28MM CALCIUM SULPHATE BOARD
4. HOT GALVANIZED STEEL SHEET

PERFORMANCE SELECTION CHART

PANEL TYPE	DYNAMIC LOAD (KN)	CONCENTRATED LOAD (KN)	UNIFORM LOAD (KN/M ²)	FIRE-PROTECTION (DIN 4102)
CS1000V	4.5	4.5	20	B1



VERSION	V 2.0	LINFLOOR FLOORS, INC www.linfloor.net VINYL FINISHED CS PANEL	PAGE
DATE			3
DRAWN	ZHONGJIE PAN		
APPROVED	YINGLIN PAN		



SUPPLEMENTARY NOTES

1. HPL TILE ADHERED TO STEEL PANEL
2. INNER AND OUTER STEEL SURFACES PHOSPAHTE TREATED PRIOR TO POWDER COATING
3. REINFORCED BAR
4. PVC TRIM EDGE
5. PRODUCT MODEL:CA1000H


VERSION	V 2.0	LINFLOOR FLOORS, INC www.linfloor.net HPL FINISHED PERFORATED CS PANEL WITH 45% AIR RATE	PAGE
DATE			
DRAWN	ZHONGJIE PAN		
APPROVED	YINGLIN PAN		4



SUPPLEMENTARY NOTES

1. VINYL TILE ADHERED TO STEEL PANEL
2. INNER AND OUTER STEEL SURFACES PHOSPAHTE TREATED PRIOR TO POWDER COATING
3. REINFORCED BAR
4. PVC TRIM EDGE
5. PRODUCT MODEL:CA1000V


VERSION	V 2.0	LINFLOOR FLOORS, INC www.linfloor.net VINYL FINISHED PERFORATED CS PANEL WITH 45% AIR RATE	PAGE
DATE			5
DRAWN	ZHONGJIE PAN		
APPROVED	YINGLIN PAN		



SUPPLEMENTARY NOTES

1. PRODUCT MODEL: CS-PST-LPXXX
2. APPLICABLE: FFH 80-110MM,
VERTICAL LOAD 18KN AT CENTER
3. ADJUSTABLE RANGE: $\pm 5 - \pm 12\text{MM}$
4. HOT GALVANIZED AND ALKALINE BLUE


VERSION	V 2.0	LINFLOOR FLOORS, INC www.linfloor.net LOW PROFILE CS PEDESTAL	PAGE
DATE			
DRAWN	ZHONGJIE PAN		
APPROVED	YINGLIN PAN		6




SUPPLEMENTARY NOTES

1. PRODUCT MODEL: CS-PST-NPXXX
2. APPLICABLE: FFH 120-600MM, VERTICAL LOAD 18KN AT CENTER
3. ADJUSTABLE RANGE: $\pm 10 - \pm 25\text{MM}$
4. HOT GALVANIZED AND ALKALINE BLUE



VERSION	V 2.0	LINFLOOR FLOORS, INC www.linfloor.net STANDARD CS PEDESTAL	PAGE
DATE			7
DRAWN	ZHONGJIE PAN		
APPROVED	YINGLIN PAN		




VERSION	V 2.0	LINFLOOR FLOORS, INC www.linfloor.net HEAVY-DUTY CS PEDESTAL	PAGE
DATE			
DRAWN	ZHONGJIE PAN		
APPROVED	YINGLIN PAN		



VERSION	V 2.0	LINFLOOR FLOORS, INC www.linfloor.net SUPER-HEAVY-DUTY CS PEDESTAL	PAGE
DATE			
DRAWN	ZHONGJIE PAN		
APPROVED	YINGLIN PAN		




SECTION VIEW




SUPPLEMENTARY NOTES

1. PRODUCT MODEL: CS-STR
2. TWO FASTENERS PER STRINGER


VERSION	V 2.0	LINFLOOR FLOORS, INC www.linfloor.net STRINGER FOR CS SYSTEM	PAGE
DATE			
DRAWN	ZHONGJIE PAN		
APPROVED	YINGLIN PAN		



① NORMAL



② PERIMETER



③ CORNER


SUPPLEMENTARY NOTES

- 1. CS PANEL
- 2. PEDESTAL
- 3. WALL


① ② ③

CS SYSTEM RAISED FLOOR INSTALLATION
WITHOUT STRINGER


VERSION	V 3.0	LINFLOOR FLOORS, INC www.linfloor.net INSTALLATION ILLUSTRATION I	PAGE
DATE			11
DRAWN	ZHONGJIE PAN		
APPROVED	YINGLIN PAN		



① NORMAL



② PERIMETER



③ CORNER

SUPPLEMENTARY NOTES

- 1. CS PANEL
- 2. PEDESTAL
- 3. STRINGER
- 4. WALL

① ② ③ CS SYSTEM RAISED FLOOR INSTALLATION
WITH STRINGER

VERSION	V 2.0	LINFLOOR FLOORS, INC www.linfloor.net INSTALLATION ILLUSTRATION II	PAGE
DATE			12
DRAWN	ZHONGJIE PAN		
APPROVED	YINGLIN PAN		